

## VariSeed Prostate Treatment Planning




# The VariSeed standard

## Benchmark for prostate seed implant brachytherapy

Designed for ease of use, and configured to support all popular treatment protocols, VariSeed™ dynamic dosimetry has evolved over the past 10 years with the demands of practitioners to become the standard treatment planning system against which all others are measured. With over 1,700 systems in use throughout the world, VariSeed is the prostate brachytherapy system you can trust to meet your needs, now and in the future.

### New for 8.0

- Direct Ethernet connection to BK Medical's Pro Focus™ scanner eliminates the need to capture ultrasound data using video capture cards, improves image quality, allows contours drawn on the ultrasound to be transferred to the planning system without intervention, and automatically compensates for image zoom.
- Create, edit, and adjust contours in any plane in the three main axes with multiplanar contouring, and VariSeed will interpolate the contours to define the whole prostate.
- To contour the urethra, just point and click with the Shape Stamper – a defined size circle or triangle will be placed.
- A single line drawn along a sagittal view of the urethra can be expanded to a cylinder using the urethra sweep tool.
- Plan dosimetry can now be related to saturation biopsy sectors with the sector analysis tool for prospective or retrospective analysis.
- In addition to support for loose seeds and strands, VariSeed now supports the use of linked seeds in manual and automatic placements.
- Standard plan templates for needle and seed patterns can be saved and reused on any patient's plan.
- Maximum intensity profile and multiplanar image seed display in post planning allows precision positioning of the seed.
- Dose quality parameters have been improved allowing a dose range to be specified as well as natural dose ratios. Absolute values can also be used.
- Import and export individual source data files to further support the introduction of updated source data.



### The VariSeed advantage

- Most used treatment planning system for prostate implants in the world
- 10 years of experience and improvements
- Worldwide support
- Backed by a name you can trust
- Easy and flexible to use
- Supports all major implant techniques
- Works with all ultrasound and tracked stepper units
- Source data for all available seeds
- Streamlined planning process
- Tools for new users and experienced planners
- Fast contouring
- Designed to make the transition from preplanning to dynamic intraoperative easy



# A complete range of powerful tools

## Outstanding features

### Contouring

VariSeed supports the entry of a group of contours in any image data set. Contours can have user-assigned default names, colors, and transparency. Dynamic contour interpolation allows you to enter as many contour slices as are necessary to define the outline. It is now possible to create, edit, and adjust contours in the sagittal and coronal view as well as the transverse view with the addition of multiplanar contouring.

The sweep structure allows the urethra to be quickly generated by drawing a line along it in the sagittal view. The tool then expands the urethra to a cylinder. This is available both in contouring and implant view. Alternatively, just point and click on the urethra in the transverse view with the shape stamper – a size circle or triangle will be placed.

In addition, you can easily make a new contour from an existing one, such as a target volume from a prostate volume, with the auto-margin tool, with the margin having a unique value on each major axis.

### Pre-planning flexibility

Efficient and easy to use, VariSeed provides a complete range of tools for quickly pre-planning a seed placement. Seeds can be manually placed individually or as fully loaded needles while isodose lines and dosimetric quality alerts are updated instantly. Alternatively, a plan can be created using either one of our geometric placement patterns or the optional Dose Optimization/Inverse Planning feature. The plan may then be used as-is or quickly fine-tuned with a few manual adjustments. Once your plan is complete, you can print a needle loading report to guide the manual needle loading.


### Dose Optimization/Inverse Planning

This optional feature allows placing minimum and maximum dose constraints on any structure. VariSeed finds the needle and seed loading pattern which most closely matches your criteria. In addition to loose seed, this module supports stranded and linked seeds.

### True real-time planning

With the real-time planning features of the optional Implant View VariSeed™ seed planning mode, the dose distribution can be updated directly on the live images. As the implant is being performed, it will take you from pre-plan to post-plan, one seed at a time.

Implant View can also be used to check the plan once the implant is complete, allowing additional seeds to be placed if required, or to make adjustments to the remaining non-implanted seeds during the implant process.



Using the Implant View module, the dose distribution can be updated as the implant is being performed.

Fuse CT, MR, and US images with the Image Fusion option.

### Data acquisition

VariSeed offers three main image acquisition methods: video frame capture, digital image transfer from the Pro Focus scanner and transducer and a DICOM 3 data interface. The Pro Focus interface allows digital quality images as well as eliminating the need to calibrate the ultrasound image from within VariSeed. The Twister™ VariSeed™ 3D ultrasound acquisition module allows you to acquire target data by rotating the probe in longitudinal mode, reducing prostate distortion. (Automatic image capture requires a stepper with rotation angle feedback).


The DICOM 3 interface allows acquisition of CT, MRI, SPECT, US, or other data over a network, or from another DICOM 3-compatible source. A digitizer and scanner option is also available.

### Image Fusion

The optional Image Fusion module allows multiple image sets to be fused together for visualization and contouring capabilities.



# Continuing the evolution in planning



## The right tools

### Sector Analysis™ module

With Sector Analysis, VariSeed 8.0 introduces the ability to take plan analysis from whole prostate to correlation with saturation biopsies for both pre- and post-planning.

All major biopsy patterns are supported, to automatically divide the prostate into up to 12 sectors and provide dose parameters for each one. If a margin has been applied to the prostate, then the same parameters can be viewed for the margin associated with that sector.

To aid in evaluation, Gleason scores can be noted in each sector, and clear color coding makes it easy to correlate data with physical areas.

### SeedFinder™ seed extraction module

Now faster and more efficient than ever, SeedFinder is designed to make post-planning a speedy process. SeedFinder automatically detects the high CT numbers in the image, and then rationalizes these centers into a 3D seed distribution. To constrain the search function, a volume of interest can be set in all three planes, or the system can be asked to only search for seeds within a defined anatomical region.



It is now possible to create, edit, and adjust contours in the sagittal and coronal view as well as the transverse.



SeedFinder is fast and effective.

### Dose calculation

VariSeed uses the TG43 dose calculation formalism, and supports anisotropic constant, factor, and function calculations.

Source data is supplied for all commercially available I-125, Pd-103, and Cs-131 seeds, with all data clearly defined in the Source Edit module. In this password-protected area, source data can be edited, entered, imported, and exported. It is also possible to set which sources will be available in planning. References are given for all of the sources, and a comprehensive set of tests is provided for confirming data integrity and dose calculation accuracy.

### Maximum Intensity Projection (MIP) seed navigator

The new MIP seed navigator is a three dimensional DRR. The MIP takes the 3D CT data and windows it so that only high density objects such as the bones and seeds are visible.

This image can then be rotated in any direction and seeds selected in it. The multiplanar view will then be moved to center at the selected point, allowing precision positioning of the seed. Alternatively, use the mouse to select an area of the CT image in one of the three plane views, and a ghost pointer will indicate the same location in the DRR.

# Setting the standard in brachytherapy



Cumulative, Differential, and Natural Dose Volume Histograms are available.

## Plan reports

During the implant procedure, you need to be well prepared and have all the information you require easily accessible. VariSeed has an extensive range of reports from needle loading and cutting reports, to configurable plan summary and dose evaluation reports. Simply select all of the reports you need and print.



## More advanced features

### Plan Templates and Nomogram Planning

For centers that prefer a regular pattern of needles, and especially those that use standard placements, plan templates are ideal. A plan template allows needle and seed positions to be stored, and then recalled for any patient. The whole needle and seed array can then be shifted on the template to fit the patient, giving the planner a fast start to the plan.

For those that wish to use peripherally loaded implants, the Nomogram Planning module of VariSeed allows the plan to be generated rapidly and efficiently.

Once the nomograms have been entered, simply define the targets to be implanted or avoided. The system will then determine the number of seeds and needles required based on the volume and size of the prostate, with the option to alter these if required. Finally, you can adjust how tightly the peripheral and interior needles are placed.

In both cases, once the plan has been generated, changes can still be made to adjust it based on the patient's anatomy.

### Plan analysis

VariSeed has a rich suite of tools to enable you to extract all the data from the plan that you require. These include interactive tools for displaying the dose at the cursor, dosimetric quality alerts in the source placement and implant views, as well as dose volume histograms and contiguous dose analysis for determining dose coverage and homogeneity. In addition, the Study Summary allows configurable dosimetric quality parameters to be printed or exported. VariSeed has a tool to meet every need.

### 2D and 3D views

As well as being able to view the structures and 2D dose distribution in the main source placement and intra-operative tabs, VariSeed has 2D and 3D views. These enable full evaluation of both the dose and structures at any stage in the planning process. The 3D view also has the ability to map the dose to the surface any of the existing structures. This gives the ability to easily display hot or cold spots, evaluate the dose, and assess their significance.

### Needle Editor

VariSeed provides an editable longitudinal representation of the selected needle on the source placement tab. The Needle Editor allows you to directly position sources along the extent of the needle and also provides a comprehensive right-click menu for automatically loading the needle in a variety of ways, to graphically guide you through plan development faster and with better control than ever.



# Customized prostate treatment planning systems

## System configurations

### Full planning systems

VariSeed planning systems are available with both standard and optional software features, so you can tailor the system to most closely match your individual needs. If you require added planning capability, additional planning stations are available at favorable pricing.

### Standard features

Standard features include a fast and accurate TG-43 calculation using either point or line source approximation as indicated by the user selection of whether to use none, constant, factors or function anisotropy correction. A plan export function provides for output in delimited tables for import into word processors or spreadsheets, DICOM RT output to other planning systems such as the BrachyVision™ 3D treatment planning system or Eclipse™ treatment planning system from Varian Medical Systems, and needle loading outputs for automated needle loading devices. Additional standard features include:

- Patient database
- Frame grabber for ultrasound import
- Multiplanar contouring with dynamic interpolation
- Image enhancement
- Needle guide templates
- Needle Editor
- Manual seed placement
- Place, manipulate, and cut seeds in strands

- Place and manipulate linked seeds
- Plan Variations
- Plan Templates
- Sector Analysis
- Pre and post planning
- Real-time dose calculation
- 2D orthogonal views
- Advanced 3D visualizations
- Differential, Cumulative, and Natural Dose Volume Histograms
- Contiguous volume analysis
- User selectable reports
- User-defined data export, including DICOM RT export
- Password-protected module that allows source entry, editing, reporting, and setting of source permissions

### Special features

- Nomograms for some turnkey system providers.

### Optional features

- DICOM data interface for data import
- Dose Optimization/Inverse Planning
- SeedFinder automated seed extraction module
- Image Fusion for co-registration of any two 3D data sets
- Implant View mode for real-time planning
- Twister 3D data acquisition module

## Services

### Installation

Systems are shipped pre-configured, so you can normally accomplish cable connections and power on without complications. Telephone support is available to help you establish interfaces to ultrasound scanners, tracked steppers, and image networks. If you elect on-site training, our applications specialist will also help you with any installation problems you may have.

### Training

Application training is included with every system. Two days of classroom training, including travel and accommodation, are standard. Further training support, such as attendance at first clinical treatment can be purchased.

## Other configurations

### Acquisition Workstation

If you intend to acquire data in multiple locations and perform treatment planning at a central site, consider the Acquisition Workstation configuration. This product provides a reduced feature set for acquiring volume studies and contours, such as from a urology practice, or a center for which you wish to provide treatment planning services. This feature set allows for transferring that data over a network, or by removable media, to a central VariSeed planning workstation for plan preparation and analysis.

### Convenience laptop

If you have a single workstation, you may wish to acquire a second to use for data acquisition at a remote site as well as parallel planning operations, and as an active spare in the event of hardware failure in the operating room. A convenience laptop system is available to licensed users at a favorable price.

### Hot spare laptop

An even more economical method to ensure that a spare system is available in the event of hardware failure, a hot spare laptop is shipped with VariSeed software installed but not licensed. If needed, simply call our Help Desk and obtain a short term license to save the day!

### Software only

Software licenses are available for customers who have hardware that matches our specification.

## Support

We know that rapid access to great support is vital in prostate brachytherapy, so our team of physicists and dosimetrists are available via a single toll free number 20 hours a day.

Access to our experienced applications specialists to address your concerns is included with the warranty. After warranty, there are three levels of contract support available.

### Platinum

Total coverage, including Gold service features, plus full hardware repair/replacement service, training credits, and guaranteed PC hardware replacement on a three-year cycle.

### Gold

Includes Silver coverage plus loaner hardware to cover failed hardware components while they are being repaired. Repair costs, if not covered by manufacturer's warranty, are extra.

### Silver

Help Desk support and software updates for functionality originally purchased. This is available exclusively for software-only customers.

*Note: In some international markets, only Gold service is offered.*

## Hardware specifications

Both a laptop and tower computer configuration are available; however, most users prefer the O/R-certified laptop configuration for real-time use.

### Laptop configuration

- Laptop PC Intel Core Duo® processor 2.2 GHz\*
- 2 GB RAM
- 120 GB hard drive
- 8X Max DVD+/- RW combo
- 32 MB graphics controller
- 15-inch active matrix display
- Video frame grabber
- Ethernet card
- Microsoft® Windows operating systems
- Color printer

*\*Tested to Medical Safety Standard IEC 601-1 (EN 60601-1-1). The laptop is classified as Type B equipment and as non-medical information technology.*

### Tower PC configuration

- Core 2 Duo® 1.8 GHz
- 1 GB RAM
- 160 GB hard drive
- 16X DVD+RW/+R
- 32 MB graphics controller
- Video frame grabber
- Ethernet card
- Microsoft® Windows operating system
- 17-inch flat panel monitor
- Color printer



This product includes software that is the property of Varian Medical Systems, Inc. (VMS) and other third parties. VMS has sole and exclusive ownership of all rights, title, interest in and to its brachytherapy software, and all modifications and enhancements thereof (including ownership of all trade secrets and copyrights pertaining thereto), subject only to the rights and privileges expressly granted by VMS or granted to VMS by third parties.

## Varian Medical Systems

### Oncology Systems

3100 Hansen Way  
Palo Alto, CA 94304-1038  
Tel: 650.424.5700 | Tel: 800.544.4636  
<http://www.varian.com>

For more information on VariSeed, visit <http://www.varian.com/brachytherapy>.

#### USA Headquarters

##### California

Varian Medical Systems  
Palo Alto, CA  
Tel: 650.424.5700  
800.544.4636  
Fax: 650.493.5637  
[www.varian.com](http://www.varian.com)

#### BrachyTherapy Offices

##### USA

Varian Medical Systems  
BrachyTherapy  
Head Office  
Charlottesville, VA  
Tel: 888.666.7847  
Fax: 434.244.7181

##### UK

Varian Medical Systems  
UK Ltd.  
BrachyTherapy  
Crawley, West Sussex, UK  
Tel: 44.1293.601.219  
Fax: 44.1293.542.626

##### Germany

Varian Medical Systems  
BrachyTherapy  
Haan, Germany  
Tel: 49.2129.551.0  
Fax: 49.2129.551.55

#### USA Regional Offices

##### California

Varian Medical Systems  
Corona, CA  
Tel: 951.280.4401  
Fax: 951.280.4300

##### Georgia

Varian Medical Systems  
Marietta, GA  
Tel: 770.955.1367  
Fax: 678.255.3850

##### Illinois

Varian Medical Systems  
Des Plaines, IL  
Tel: 847.321.6810  
Fax: 847.321.6811

##### New Jersey

Varian Medical Systems  
Clark, NJ  
Tel: 732.340.9346  
Fax: 732.381.1060

#### European Headquarters

##### Switzerland

Varian Medical Systems  
International AG  
Zug, Switzerland  
Tel: 41.41.749.8844  
Fax: 41.41.740.3340

##### Austria

Varian Medical Systems  
Gesellschaft m.b.H.  
Voesendorf, Austria  
Tel: 43.1.698.56.56  
Fax: 43.1.698.56.59

##### Belgium

Varian Medical Systems  
Belgium N.V./S.A.  
Diegem, Belgium  
Tel: 32.2.720.10.08  
Fax: 32.2.720.77.07

##### Finland

Varian Medical Systems  
Finland Oy  
Helsinki, Finland  
Tel: 358.9.430.771  
Fax: 358.9.455.4585

##### France

Varian Medical Systems France  
Buc, France  
Tel: 33.1.30.83.83.83  
Fax: 33.1.30.83.83.00

##### Germany

Varian Medical Systems  
Deutschland GmbH  
Darmstadt, Germany  
Tel: 49.61.51.73130  
Fax: 49.61.51.731313

##### India

Varian Medical Systems  
India Pvt Ltd.  
Mumbai, India  
Tel: 91.22.26162301  
Fax: 91.22.26162277

Varian Medical Systems  
India Pvt Ltd.  
Chennai, India  
Tel: 91.44.28295970  
Fax: 91.44.28295980

##### Italy

Varian Medical Systems  
Italia, S.p.A.  
Cernusco s/N (MI), Italy  
Tel: 39.02.921.351  
Fax: 39.02.921.35240

##### Netherlands

Varian Medical Systems  
Nederland B.V.  
Houten, Netherlands  
Tel: 31.30.634.0506  
Fax: 31.30.636.2466

##### Scandinavia

Varian Medical Systems  
Scandinavia AS  
Herlev, Denmark  
Tel: 45.44.500.100  
Fax: 45.44.500.190

##### Spain/Portugal

Varian Medical Systems  
Ibérica, S.L.  
Madrid, Spain  
Tel: 34.91.33.44.800  
Fax: 34.91.33.44.801

##### UK/Ireland

Varian Medical Systems  
UK Ltd.  
Crawley, West Sussex, UK  
Tel: 44.1293.601.200  
Fax: 44.1293.510.260

#### Asian Headquarters

##### Hong Kong

Varian Medical Systems  
Pacific, Inc.  
Kowloon, Hong Kong  
Tel: 85.22.724.2836  
Fax: 85.22.369.4280

##### China

Varian Medical Systems  
China Ltd.  
Beijing, P.R. China  
Tel: 8610.8785.8785  
Fax: 8610.8785.8960

##### Japan

Varian Medical Systems K.K.  
Chuo-ku, Tokyo, Japan  
Tel: 81.3.3639.9700  
Fax: 81.3.3639.9623

#### Latin American Headquarter

##### Florida

Varian Medical Systems  
Miami, FL USA  
Tel: 305.929.1970  
Fax: 305.929.1971

##### Brazil

Varian Medical Systems  
do Brasil Ltda.  
São Paulo, Brazil  
Tel: 55.11.3457.2655  
Fax: 55.11.3286.0034

#### Australian Headquarters

##### Australia

Varian Medical Systems  
Australasia Pty Ltd.  
Sydney, Australia  
Tel: 61.2.9485.0111  
Fax: 61.2.9485.0119

Varian and Varian Medical Systems are registered trademarks and BrachyVision, Eclipse, Implant View VariSeed, Sector Analysis, SeedFinder, Twister, and VariSeed are trademarks of Varian Medical Systems, Inc. The names of other companies and products herein are used for identification purposes only and may be trademarks or registered trademarks of their respective owners.  
RAD 4139 Copyright © 2008-2009 Varian Medical Systems, Inc. 2/09 (1.5M)